



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/590,158

08/21/2006

Tomohiro Oshiyama

06571/HG

4142

1933 7590 05/09/2011

HOLTZ, HOLTZ, GOODMAN & CHICK PC
220 Fifth Avenue
16TH Floor
NEW YORK, NY 10001-7708

EXAMINER

WILSON, MICHAEL H

ART UNIT

PAPER NUMBER

1786

MAIL DATE

DELIVERY MODE

05/09/2011

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/590,158	Applicant(s) OSHIYAMA ET AL.	
	Examiner MICHAEL H. WILSON	Art Unit 1786	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 March 2011.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1, 12-26 and 28-30 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 12-26 and 28-30 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. This Office action is in response to Applicant's amendment filed 4 March 2011, which amends claim 1 and cancels claim 27.

Claims 1, 12-26, and 28-30 are pending.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

4. Claims 1, 12-14, 15, 17, and 23-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brown et al. (US 2004/0086743 A1).

Regarding claims 1, 14, 15, 17, 25, and 26, Brown et al. disclose an organic electroluminescent device comprising a light-emitting layer and a hole blocking layer

Art Unit: 1786

between a pair of electrodes [0035]. The light-emitting layer comprises a host material, including CBP which meets instant formula (11) [0096], and a phosphorescent complex [0011]. The phosphorescent complex is disclosed to preferably be an iridium or platinum complex [0069]. The complex has a phenylpyridine ligand ([0072]-[0075]) and the phenyl group of the ligand is disclosed can be substituted in the R6 position by substituted or unsubstituted aryl group [0016]. The reference also discloses the R5 position can be substituted by a substituted or unsubstituted aryl group [0013] and discloses specific substituted aryl groups including 2,6-dimethylphenyl and 2,4,6-trimethylphenyl groups (3rd and 4th ligands in Figure 6).

While the reference does not explicitly disclose a 2,6-dimethylphenyl or 2,4,6-trimethylphenyl group as R6 given the teaching of the reference as a whole such a complex would be obvious to one of ordinary skill in the art at the time of the invention. The reference teaches substituted aryl groups to be suitable for both the R5 and R6 positions ([0013] and [0016]) and demonstrates 2,6-dimethylphenyl and 2,4,6-trimethylphenyl, substituted aryl groups, in the R5 position. Therefore one of ordinary skill in the art would readily expect 2,6-dimethylphenyl or 2,4,6-trimethylphenyl to be suitable in the R6 position. While the reference does not exemplify such a complex, this does not negate a finding of obviousness under 35 USC 103 since a preferred embodiment such as an example is not controlling. Rather, all disclosures “including unpreferred embodiments” must be considered. *In re Lamberti* 192 USPQ 278, 280 (CCPA 1976) citing *In re Mills* 176 USPQ 196 (CCPA 1972).

Regarding claims 12 and 13, modified Brown et al. discloses all the claim limitations as set forth above. The reference discloses aryl groups substituted by methyl groups; methyl groups are considered to be electron donating substitutes. Additionally while the reference does not disclose a heteroaromatic group where free rotation is blocked, the claim does not require the presence of the heteroaromatic group but merely requires such a group to have an electron donating substituent when present. Therefore the claim limitations are met as set forth above.

Regarding claims 23 and 24, modified Brown et al. discloses all the claim limitations as set forth above. Additionally the reference discloses the device as a display device or an illumination device [0004].

5. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Brown et al. (US 2004/0086743 A1) as applied to claim 15 above, and further in view of Sato et al. (US 2003/0218418 A9).

Regarding claim 16, modified Brown et al. discloses all the claim limitations as set forth above. Additionally the reference discloses the light-emitting layer comprising a host material, including [0096], and a phosphorescent complex [0011]. However the reference does not explicitly disclose a compound of instant formula (10) as a host material.

Sato et al. teach another phosphorescent organic electroluminescent device (abstract). The reference teaches carbazole compound of instant formula (10) as preferable host material [0056].

It would be obvious to one of ordinary skill in the art at the time of the invention to use a carbazole compounds as the host material of the light-emitting layer as taught by Sato et al. in the device of Brown et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that Sato et al. teach the compounds as suitable host material for phosphorescent light-emitting layers. Case law holds that the selection of a known material based on its suitability for its intended use supports prima facie obviousness. *Sinclair & Carroll Co vs. Interchemical Corp.*, 325 US 327, 65 USPQ 297 (1045).

6. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Brown et al. (US 2004/0086743 A1) as applied to claim 15 above, and further in view of Iwakuma et al. (US 2004/0086745 A1).

Regarding claim 18, modified Brown et al. discloses all the claim limitations as set forth above. Additionally the reference discloses the light-emitting layer comprising a host material, including CBP which meets instant formula (11) [0096], and a phosphorescent complex [0011]. However the reference does not explicitly disclose a carboline compound as a host material.

Iwakuma et al. teach carboline compounds (compound A58-A67, pages 16-18) as host materials for the light-emitting layer [0008] of an electroluminescent device ([0012] and [0058]). The reference teaches that using a carboline compound of Iwakuma et al. improves the color purity of the device [0007].

It would be obvious to one of ordinary skill in the art at the time of the invention to use a carboline compound as the host material of the light-emitting layer as taught by Iwakuma et al. in the device of Brown et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that Iwakuma et al. the carboline compounds as suitable host material for phosphorescent light-emitting layers. One of ordinary skill in the art would be motivated by a desire to improve the color purity of the device.

7. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Brown et al. (US 2004/0086743 A1) as applied to claim 15 above, and further in view of Okada et al. (US 2003/0019861 A1).

Regarding claim 19, modified Brown et al. discloses all the claim limitations as set forth above. Additionally the reference discloses the device additionally comprising a hole blocking layer [0035]. However the reference does not explicitly disclose a hole blocking layer comprising a carboline.

Okada et al. teach a light-emitting device [0007]. The reference teaches various condensed heterocyclic compounds, formulas (I) and (II), are useful in electroluminescent devices ([0009]-[0012]) and teaches specific examples of heterocyclic groups suitable as A of formula (I) and B of formula (II) ([0041] and [0051]); the groups includes carboline. The reference teaches that materials of the electron transport and electron injection layers should possess electron transporting properties

Art Unit: 1786

and hole blocking properties [0157]. Preferred materials include compounds of formula (I).

It would have been obvious to one of ordinary skill in the art at the time of invention to use the carbolines of Okada as a hole blocking layer in the device of Brown et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that Okada et al. teach the compounds to be hole blocking and suitable for use in electroluminescent devices. Case law holds that the selection of a known material based on its suitability for its intended use supports prima facie obviousness. *Sinclair & Carroll Co vs. Interchemical Corp.*, 325 US 327, 65 USPQ 297 (1045).

8. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Brown et al. (US 2004/0086743 A1) as applied to claim 15 above, and further in view of Stossel et al. (US 2004/0058194 A1).

Regarding claim 20, modified Brown et al. disclose all the claim limitations as set forth above. Additionally the reference discloses the device additionally comprising a hole blocking layer [0035]. However the reference does not explicitly disclose a hole blocking layer comprising a boron compound.

Stossel et al. teach another phosphorescent organic light-emitting device [0001]. The reference teaches that boron compounds have excellent properties for electron transport and hole blocking layer [0032] and lead to high efficiencies and an increase in operating life ([0035]-[0036]).

It would be obvious to one of ordinary skill in the art at the time of the invention to use boron compounds in the hole blocking layer as taught by Stossel et al. in the device of Brown et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that Stossel et al. teach boron compounds to be excellent hole blocking materials. Case law holds that the selection of a known material based on its suitability for its intended use supports prima facie obviousness. *Sinclair & Carroll Co vs. Interchemical Corp.*, 325 US 327, 65 USPQ 297 (1045).

9. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Seo et al. (US 2000/0086180 A1) in view of Brown et al. (US 2004/0086743 A1) as applied to claim 1 above, and Iwakuma et al. (US 2004/0086745 A1).

Regarding claim 21, Seo et al. disclose an organic electroluminescent element [0002]. The reference discloses the device comprises a light-emitting layer with an ortho-metallated phosphorescent compound and a host material ([0187] and [0251]-[0252]), and a hole blocking layer ([0041] and [0251]-[0252]). The blocking and light-emitting layers are mixed, therefore the hole blocking, light-emitting, and light-emitting host materials are in both hole blocking and light-emitting layers ([0044] and [0251]-[0252]). However the reference does not explicitly disclose a phosphorescent complex with an aryl group where free rotation is blocked or a carboline as the light-emitting host material.

Modified Brown et al. disclose an ortho-metallated platinum complex wherein free rotation of an aryl group is blocked, as described above. Additionally the reference teaches the complexes of Brown et al. to exhibit improved quantum efficiency [0022].

It would be obvious to one of ordinary skill in the art at the time of the invention to use the complex of modified Brown et al. in the device of Seo et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that both references teach light-emitting layers with carbazole host materials and Brown et al. teach complexes suitable for use in the light-emitting layer of an electroluminescent device. One of ordinary skill in the art would be motivated by a desire to have improved quantum efficiency.

Iwakuma et al. teach carboline compounds (compound A58-A67, pages 16-18) as host materials for the light-emitting layer [0008] of an electroluminescent device ([0012] and [0058]). The reference teaches that using a carboline compound of Iwakuma et al. improves the color purity of the device [0007].

It would be obvious to one of ordinary skill in the art at the time of the invention to use a carboline compound as the host material of the light-emitting layer as taught by Iwakuma et al. in the device of Seo et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that Iwakuma et al. the carboline compounds as suitable host material for phosphorescent light-emitting layers. One of ordinary skill in the art would be motivated by a desire to improve the color purity of the device.

Art Unit: 1786

10. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Seo et al. (US 2000/0086180 A1) in view of Brown et al. (US 2004/0086743 A1) as applied to claim 1 above, and Stossel et al. (US 2004/0058194 A1)..

Regarding claim 22, Seo et al. disclose an organic electroluminescent element [0002]. The reference discloses the device comprises a light-emitting layer with an ortho-metallated phosphorescent compound and a host material ([0187] and [0251]-[0252]), and a hole blocking layer ([0041] and [0251]-[0252]). The blocking and light-emitting layers are mixed, therefore the hole blocking, light-emitting, and light-emitting host materials are in both hole blocking and light-emitting layers ([0044] and [0251]-[0252]). However the reference does not explicitly disclose a phosphorescent complex with an aryl group where free rotation is blocked or a boron compound as the hole blocking material.

Modified Brown et al. disclose an ortho-metallated platinum complex wherein free rotation of an aryl group is blocked, as described above. Additionally the reference teaches the complexes of Brown et al. to exhibit improved quantum efficiency [0022].

It would be obvious to one of ordinary skill in the art at the time of the invention to use the complex of modified Brown et al. in the device of Seo et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that both references teach light-emitting layers with carbazole host materials and Brown et al. teach complexes suitable for use in the light-emitting layer of an electroluminescent device. One of ordinary skill in the art would be motivated by a desire to have improved quantum efficiency.

Stossel et al. teach another phosphorescent organic light-emitting device [0001]. The reference teaches that boron compounds have excellent properties for electron transport and hole blocking layer [0032] and lead to high efficiencies and an increase in operating life ([0035]-[0036]).

It would be obvious to one of ordinary skill in the art at the time of the invention to use boron compounds in the hole blocking layer of Seo et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that Stossel et al. teach boron compounds to be excellent hole blocking materials. One of ordinary skill in the art would be motivated by a desire to improve efficiency and an increase in operating life.

11. Claims 1, 14-16, 23, 24, and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kita et al. (JP 2003/109758 A), machine translation relied upon in view of Brown et al. (US 2004/0086743 A1).

Regarding claims 1, 12, 14, 15, and 28, Kita et al. disclose an organic electroluminescent element [0017] comprising an ortho-metallated platinum complex comprising an aryl group where free rotation is blocked (complex 111 [0082] page 23). Free rotation of the aryl group is blocked by phenyl groups being present on the R₁, R₃ and R₄ positions and discloses wherein the phenyl may be further substituted ([0034], compounds 41-44 [0077] page 18, and compound 114 [0082] page 23). The reference also discloses a light-emitting layer which comprises the platinum complex [0032] and a device comprising the light-emitting layer [0180].

The reference discloses an “n” of 3 with an “m” of 1 instead of an “n” of 1 or 2 as presently claimed. However $n + m = 4$ is clearly an error in the reference. A stable octadentate platinum complex is not possible. The coordination sphere of platinum is full where there are only six ligands. Platinum(II) is a common platinum cation used to form luminescent complexes. This metal ion is well known to form square planar complexes ($m=1$ and $n=1$) due to its electron configuration (d^8). Therefore one of ordinary skill in the art at the time of the invention would readily recognize $m=3$ with $n=1$ to be an error in the reference and would readily expect platinum complexes of $m=1$ and $n=1$ to suitable complexes for layer and device of Kita et al. and within the teachings of Kita et al. However the reference does not explicitly disclose wherein the phenyl substituent (where free rotation is blocked) is substituted by an electron donating group.

Brown et al. teach a similar organic electroluminescent device ([001] and [0035]). The reference teaches the light-emitting layer comprising a host material and a phosphorescent complex [0011]. The phosphorescent complex is taught to preferably be an iridium or platinum complex [0069] with a phenylpyridine ligand ([0072]-[0075]) which can have substituted aryl substituents ([0013]-[0016]). The reference teaches the specific substituted aryl groups including 2,6-dimethylphenyl and 2,4,6-trimethylphenyl groups (3rd and 4th ligands in Figure 6). Methyl groups are electron donating groups.

Given the teachings of Brown et al. that methyl groups are suitable substituents for a substituent phenyl group of phenylpyridine ligands it would be obvious to one of ordinary skill in the art at the time of the invention to use methyl as a substituent on

Art Unit: 1786

phenyl in the complex of Kita et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that Kita et al. teach substituents to be suitable and Brown et al. teach methyl to be suitable for substituted aryl substituents. One of ordinary skill in the art would be motivated by a desire to form new complexes within the teaching of the prior art and within the guidelines of the prior art for the purposes of the prior art.

Regarding claim 13, modified Kita et al. disclose all the claim limitations as set forth above. Additionally while the reference does not disclose a heteroaromatic group where free rotation is blocked, the claim does not require the presence of the heteroaromatic group but merely requires such a group to have an electron donating substituent when present. Therefore the claim limitations are met as set forth above.

Regarding claim 16, modified Kita et al. disclose all the claim limitations as set forth above. Additionally the reference discloses wherein the light-emitting layer comprises a host material [0107] of instant formula (10) (compound 1-60 [0123] page 47; compound 1-65 [0125] page 49).

Regarding claims 23 and 24, modified Kita et al. disclose all the claim limitations as set forth above. Additionally the reference discloses a display device and an illumination device comprising an organic electroluminescent element as described above [0002].

12. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sato et al. (US 2003/0218418 A9) in view of Kita et al. (JP 2003/109758 A), machine translation relied upon, and Brown et al. (US 2004/0086743 A1) as applied to claim 15 above.

Regarding claim 17, Sato et al. disclose an organic electroluminescent device comprising a light emitting layer with a phosphorescent ortho-metallated complex ([0031]-[0034]). The reference teaches the light-emitting layer comprises a host material of instant formulae (10) [0052]. The reference also teaches that the divalent linking groups (instant L_{01}) may also be a single bond [0062] and teaches that any position of the phenyl rings is suitable for substitution [0056]. While Sato et al. does not exemplify a substituent in the instant R_{13} - R_{16} positions, this does not negate a finding of obviousness under 35 USC 103 since a preferred embodiment such as an example is not controlling. Rather, all disclosures "including unpreferred embodiments" must be considered. *In re Lamberti* 192 USPQ 278, 280 (CCPA 1976) citing *In re Mills* 176 USPQ 196 (CCPA 1972). Therefore, it would have been obvious to one of ordinary skill in the art to utilize a substituent in one of more of the instant R_{13} - R_{16} positions given that Sato et al. teaches each one. However the reference does not explicitly disclose a phosphorescent complex with an aryl group where free rotation is blocked.

Modified Kita et al. disclose an ortho-metallated platinum complex wherein free rotation of an aryl group is blocked, as described above. Additionally the reference teaches the complexes of modified Kita et al. to have excellent luminescence with blue color [0032].

It would be obvious to one of ordinary skill in the art at the time of the invention to use the complex of modified Kita et al. in the device of Sato et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that both references teach light-emitting layers with carbazole host materials and modified Kita et al. teach complexes suitable for use in the light-emitting layer of an electroluminescent device. One of ordinary skill in the art would be motivated by a desire to have excellent luminescent of blue.

13. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kita et al. (JP 2003/109758 A), machine translation relied upon, and Brown et al. (US 2004/0086743 A1) as applied to claim 15 above, and further in view of Iwakuma et al. (US 2004/0086745 A1).

Regarding claim 18, modified Kita et al. disclose all the claim limitations as set forth above. However the reference does not explicitly disclose a carboline compound as a host material.

Iwakuma et al. teach carboline compounds (compound A58-A67, pages 16-18) as host materials for the light-emitting layer [0008] of an electroluminescent device ([0012] and [0058]). The reference teaches that using a carboline compound of Iwakuma et al. improves the color purity of the device [0007].

It would be obvious to one of ordinary skill in the art at the time of the invention to use a carboline compound as the host material of the light-emitting layer as taught by Iwakuma et al. in the device of modified Kita et al. One of ordinary skill in the art would

Art Unit: 1786

reasonably expect such a combination to be suitable given that Iwakuma et al. the carboline compounds as suitable host material for phosphorescent light-emitting layers. One of ordinary skill in the art would be motivated by a desire to improve the color purity of the device.

14. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kita et al. (JP 2003/109758 A), machine translation relied upon, and Brown et al. (US 2004/0086743 A1) as applied to claim 15 above, and further in view of Okada et al. (US 2003/0019861 A1).

Regarding claim 19, modified Kita et al. disclose all the claim limitations as set forth above. However the reference does not explicitly disclose a hole blocking layer.

Okada et al. teach a light-emitting device [0007]. The reference teaches various condensed heterocyclic compounds, formulas (I) and (II), are useful in electroluminescent devices ([0009]-[0012]) and teaches specific examples of heterocyclic groups suitable as A of formula (I) and B of formula (II) ([0041] and [0051]); the groups includes carboline. The reference teaches that materials of the electron transport and electron injection layers should possess electron transporting properties and hole blocking properties [0157]. Preferred materials include compounds of formula (I).

It would have been obvious to one of ordinary skill in the art at the time of invention to use the carbolines of Okada as an electron transporting and hole blocking layer in the device of modified Kita et al. One of ordinary skill in the art would

reasonably expect such a combination to be suitable given that Okada et al. teach the compounds to be electron transporting and hole blocking and suitable for use in electroluminescent devices. One of ordinary skill in the art would be motivated by a desire to block holes from reaching the cathode, thus improving performance.

15. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kita et al. (JP 2003/109758 A), machine translation relied upon, and Brown et al. (US 2004/0086743 A1) as applied to claim 15 above, and further in view of Stossel et al. (US 2004/0058194 A1).

Regarding claim 20, modified Kita et al. disclose all the claim limitations as set forth above. Additionally the reference discloses boron compounds as electron transporting material for the electron transport layer [0199]. However the reference does not explicitly disclose a hole blocking layer.

Stossel et al. teach another phosphorescent organic light-emitting device [0001]. The reference teaches that boron compounds have excellent properties for electron transport and hole blocking layer [0032] and lead to high efficiencies and an increase in operating life ([0035]-[0036]).

It would be obvious to one of ordinary skill in the art at the time of the invention to use boron compounds in an electron transporting and hole blocking layer as taught by Stossel et al. in the device of modified Kita et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that modified Kita et al. teach boron compounds to be suitable for the electron transporting layer, and Stossel et

al. teach boron compounds to be excellent hole blocking materials. One of ordinary skill in the art would be motivated by a desire to improve efficiency and an increase in operating life.

16. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Seo et al. (US 2000/0086180 A1) in view of Kita et al. (JP 2003/109758 A), machine translation relied upon, and Brown et al. (US 2004/0086743 A1) as applied to claim 1 above, and Iwakuma et al. (US 2004/0086745 A1).

Regarding claim 21, Seo et al. disclose an organic electroluminescent element [0002]. The reference discloses the device comprises a light-emitting layer with an ortho-metallated phosphorescent compound and a host material ([0187] and [0251]-[0252]), and a hole blocking layer ([0041] and [0251]-[0252]). The blocking and light-emitting layers are mixed, therefore the hole blocking, light-emitting, and light-emitting host materials are in both hole blocking and light-emitting layers ([0044] and [0251]-[0252]). However the reference does not explicitly disclose a phosphorescent complex with an aryl group where free rotation is blocked or a carboline as the light-emitting host material.

Modified Kita et al. disclose an ortho-metallated platinum complex wherein free rotation of an aryl group is blocked, as described above. Additionally the reference teaches the complexes of modified Kita et al. to have excellent luminescence with blue color [0032].

It would be obvious to one of ordinary skill in the art at the time of the invention to use the complex of modified Kita et al. in the device of Seo et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that both references teach light-emitting layers with carbazole host materials and modified Kita et al. teach complexes suitable for use in the light-emitting layer of an electroluminescent device. One of ordinary skill in the art would be motivated by a desire to have excellent luminescent of blue.

Iwakuma et al. teach carboline compounds (compound A58-A67, pages 16-18) as host materials for the light-emitting layer [0008] of an electroluminescent device ([0012] and [0058]). The reference teaches that using a carboline compound of Iwakuma et al. improves the color purity of the device [0007].

It would be obvious to one of ordinary skill in the art at the time of the invention to use a carboline compound as the host material of the light-emitting layer as taught by Iwakuma et al. in the device of Seo et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that Iwakuma et al. the carboline compounds as suitable host material for phosphorescent light-emitting layers. One of ordinary skill in the art would be motivated by a desire to improve the color purity of the device.

17. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Seo et al. (US 2000/0086180 A1) in view of Kita et al. (JP 2003/109758 A), machine translation

relied upon, and Brown et al. (US 2004/0086743 A1) as applied to claim 1 above, and Stossel et al. (US 2004/0058194 A1).

Regarding claim 22, Seo et al. disclose an organic electroluminescent element [0002]. The reference discloses the device comprises a light-emitting layer with an ortho-metallated phosphorescent compound and a host material ([0187] and [0251]-[0252]), and a hole blocking layer ([0041] and [0251]-[0252]). The blocking and light-emitting layers are mixed, therefore the hole blocking, light-emitting, and light-emitting host materials are in both hole blocking and light-emitting layers ([0044] and [0251]-[0252]). However the reference does not explicitly disclose a phosphorescent complex with an aryl group where free rotation is blocked or a boron compound as the hole blocking material.

Modified Kita et al. disclose an ortho-metallated platinum complex wherein free rotation of an aryl group is blocked, as described above. Additionally the reference teaches the complexes of modified Kita et al. to have excellent luminescence with blue color [0032].

It would be obvious to one of ordinary skill in the art at the time of the invention to use the complex of modified Kita et al. in the device of Seo et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that both references teach light-emitting layers with carbazole host materials and modified Kita et al. teach complexes suitable for use in the light-emitting layer of an electroluminescent device. One of ordinary skill in the art would be motivated by a desire to have excellent luminescent of blue.

Stossel et al. teach another phosphorescent organic light-emitting device [0001]. The reference teaches that boron compounds have excellent properties for electron transport and hole blocking layer [0032] and lead to high efficiencies and an increase in operating life ([0035]-[0036]).

It would be obvious to one of ordinary skill in the art at the time of the invention to use boron compounds in the hole blocking layer of Seo et al. One of ordinary skill in the art would reasonably expect such a combination to be suitable given that Stossel et al. teach boron compounds to be excellent hole blocking materials. One of ordinary skill in the art would be motivated by a desire to improve efficiency and an increase in operating life.

Double Patenting

18. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the “right to exclude” granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Art Unit: 1786

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

19. Claims 1, 15, 18, and 23-30 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1, 2, 9, 13, 18-43, 45, and 46 of copending Application No. 11/632389. Although the conflicting claims are not identical, they are not patentably distinct from each other because while the claims are not identical one of ordinary skill attempting to make and use the invention of the copending application would also be making and using the presently claimed invention.

The copending application teaches an organic electroluminescent element (claims 1 and 2) comprising a phosphorescent ortho-metallated platinum complex of instant formulae (1)-(9) (claim 9) and a carboline or carboline derivative compound (claims 13, and 18-43) in the light-emitting layer. The reference teaches the organic electroluminescent element as part of a display device or an illumination device (claims 45 and 46).

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

20. Claims 1, 15, 18, and 23-30 are directed to an invention not patentably distinct from claims 1, 2, 9, 13, 18-43, 45, and 46 of commonly assigned 11/632389. Specifically, see above.

The U.S. Patent and Trademark Office normally will not institute an interference between applications or a patent and an application of common ownership (see MPEP Chapter 2300). Commonly assigned 11/632389, discussed above, would form the basis for a rejection of the noted claims under 35 U.S.C. 103(a) if the commonly assigned case qualifies as prior art under 35 U.S.C. 102(e), (f) or (g) and the conflicting inventions were not commonly owned at the time the invention in this application was made. In order for the examiner to resolve this issue, the assignee can, under 35 U.S.C. 103(c) and 37 CFR 1.78(c), either show that the conflicting inventions were commonly owned at the time the invention in this application was made, or name the prior inventor of the conflicting subject matter.

A showing that the inventions were commonly owned at the time the invention in this application was made will preclude a rejection under 35 U.S.C. 103(a) based upon the commonly assigned case as a reference under 35 U.S.C. 102(f) or (g), or 35 U.S.C. 102(e) for applications pending on or after December 10, 2004.

Response to Arguments

21. Applicant's arguments filed 4 March 2011 have been fully considered but they are not persuasive.

Applicants argue that Kita et al. do not disclose or suggest an idea of "a ligand comprising an aryl group of which free rotation is blocked or an aromatic heterocycle group of which free rotation is blocked", as claimed in the present application.

However the concept of "a ligand comprising an aryl group of which free rotation is blocked" does not need to be explicitly taught by the prior art to render such a ligand obvious. This is because the rotational energy of the aryl group is a result of the aryl groups overall structure and will be inherent to the complex. Thus if any aryl substituent within the scope of the claims is obvious to one of ordinary skill in the art and results in a barrier to rotation (i.e. free rotation is blocked) the claimed complex would be obvious regardless of whether the prior art recognizes a barrier to free rotation.

Additionally Applicants argue that the Examiner has appeared to apply impermissible hindsight in the reasoning given that because the reference teaches substituents for an aryl group, this teaches or renders obvious aryl groups where free rotation is blocked. As to the obviousness rejection, Applicants assert that the teaching to render obvious such a jump in conclusion, is not there.

However given that the art specifically teaches substitution and methyl is a well know substituent which is known to be suitable, the knowledge to use a methyl substituent is clearly not gleaned only from applicant's disclosure. The Examiner notes that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971). Regarding the obviousness rejection Applicant's have not pointed to any specific deficiency in the rejection nor explained how such a combination would not be obvious

Art Unit: 1786

to one of ordinary skill. It is well settled that arguments of counsel unsupported by competent factual evidence of record are entitled to little weight. *In re Payne*, 606 F.2d 303,315, 203 USPQ 245,256 (CCPA 1979).

Conclusion

22. Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL H. WILSON whose telephone number is (571) 270-3882. The examiner can normally be reached on Monday - Thursday 7:30-5:00 (EST), Friday 7:30-4:00 with alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jennifer Chriss can be reached on (571) 272-7783. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1786

23. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MHW

/Callie E. Shosho/
Supervisory Patent Examiner, Art Unit 1787